



AUTOMATIC TRANSMISSION FLUID

BULWARK ATF IID lubricants are Synthetic Technology, Automatic Transmission Fluids (ATF) designed for use in automatic or semi-automatic transmissions and torque converters of passenger cars, light commercial vehicles, industrial vehicles and other applications, where the manufacturer recommends use of an ATF with GM DEXRON - IID performance level.

BULWARK ATF IID is suitable for use in manual gear boxes where an ATF fluid is recommended. It is also suitable for use in hydrostatic transmissions, power steering, hydraulic systems when a fluid type GM DEXRON - IID is required.

PERFORMANCE LEVEL

- GM DEXRON® IID
- FORD MERCON
- ALLISON C-4
- CAT TO-2

KEY BENEFITS

- High viscosity index and excellent viscosity retention in operation.
- Excellent thermal stability and resistance to oxidation.
- Excellent pour point.
- · Provides smoother and improved gear shifting

TYPICAL CHARACTERISTICS

Properties	Test Methods	II D
Density @ 15 °C Kg/m3	ASTM D4052	0.867
Kinematic Viscosity @ 100°C cSt	ASTM D7042	7.25
Viscosity Index	ASTM D2270	165
Pour Point, °C	ASTM D97	-39
Flash Point, COC, °C	ASTM D92	206
Foam Stability	ASTM D892	
Seq I		0/0
Seq II		0/0
Seq III		0/0
Color ASTM	ASTM D1500	L7.5
Color Appearance		Red
Brookfield Viscosity at -40 °C, mPa·s	ASTM D2983	24,000

PS: The above information is typical data and an indication based on current production. It does not constitute a specification.

All packages should be stored under cover. Where outside storage is unavoidable, drums should be laid horizontally to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either Bulwark International UK Ltd or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. Please consult our local representative if you require any further information.