

# HYDRAULIC ST

## STANDARD ANTI-WEAR HYDRAULIC OIL

**BULWARK HYDRAULIC ST** series is formulated with paraffinic base oils and provide anti-wear protection, oxidation, corrosion inhibition and demulsibility.

**BULWARK HYDRAULIC ST 68** is a high quality, anti-wear fluid available in ISO VG 68 and recommended for use in light and medium duty automotive & industrial applications. They can also be used in light loaded reciprocating compressors and in gearboxes were non-EP lubricants are required.

#### PERFORMANCE LEVEL

- DIN 51524
- ISO 11158 L-HM
- ASTM D 6158 HM

## **KEY BENEFITS**

- Good oxidation stability provides good service life in high pressure service.
- Excellent protection against corrosion of both copper and steel
- Minimum viscosity changes over a wide temperature range.
- The special foam suppressant minimizes both foaming and aeration problems.

## TYPICAL CHARACTERISTICS

Properties	Test Methods	68
Specific Gravity @ 15 °C	ASTM D4052	0.889
Kinematic Viscosity @ 40 °C cSt	ASTM D445	66.90
Viscosity Index	ASTM D2270	95
Flash Point, COC, °C	ASTM D92	226
Pour Point, °C	ASTM D97	-18
TAN mg KOH/g	ASTM D974	0.62
Foaming Tendency/Foam Stability	ASTM D892	
Seg I		0/0
Seg II		0/0
Seg III		0/0
Color	ASTM D1500	L2.0
Oxidation (TOST)	ASTM D943	>1200

PS: The above information is typical data and an indication based on current production. It does not constitute a specification.

All packages should be stored under cover. Where outside storage is unavoidable, drums should be laid horizontally to avoid the possible ingress of water and the obliteration of drum markings. Products should not be stored above 60°C, exposed to hot sun or freezing conditions.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either Bulwark international UK Ltd or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. Please consult our local representative if you require any further information.